


**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims. Please add new claims 79, 87, 89-92, 95-98, and 105-154 as follows:

Claims 1-78 (Canceled)

79. A cosmetic composition comprising from 2% to 50% of at least one silicone gum, at least one crosslinked silicone, at least one pigment in an amount up to 15%, optionally at least one filler in an amount up to 30%, and at least one gelling agent, wherein said at least one silicone gum is of the formula:



in which

R1, R2, R5 and R6 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms;

R3 and R4 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms and aryl radicals;

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, hydroxyl radicals, and vinyl radicals; and

n and p are independently chosen so as to give said silicone gum a viscosity of greater than 100,000 mPa·s, and  
wherein said cosmetic composition is anhydrous and water-resistant.

80-86. (Canceled)

87. A cosmetic composition according to claim 79, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

88. (Canceled)

89. A cosmetic composition according to claim 79, which is in a form chosen from make-up products and hair products.

90. A cosmetic composition according to claim 89, wherein said make-up products are chosen from lipsticks, blushers, eyeshadows, and foundations, and said hair products are chosen from styling make-up gels.

91. A cosmetic composition according to claim 79 for application to the lips.

92. A cosmetic composition according to claim 79 comprising at least one filler in an amount up to 30%, wherein said at least one filler is chosen from talc, mica, silica, kaolin, nylon powders, polyethylene powders, Teflon, starch, titanium mica, natural mother of pearl, boron nitride, and hollow microspheres.

93-94. (Canceled)

95. A cosmetic composition according to claim 79, wherein said at least one gelling agent is chosen from modified clays.

96. A cosmetic composition according to claim 79, wherein said at least one crosslinked silicone is chosen from silicone resins.

97. A cosmetic composition according to claim 79, wherein in, said at least one silicone gum, R1 to R6 and X are methyl.

98. A cosmetic composition according to claim 79, wherein, in said at least one silicone gum, R1 to R6 and X are methyl, and p is 0.

99-104. (Canceled)

105. A method of treating lips comprising applying to said lips a cosmetic composition comprising:

at least 2% of at least one silicone gum;


at least one crosslinked silicone;

at least one gelling agent;

optionally at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

R1, R2, R5 and R6 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms;

R3 and R4 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms and aryl radicals:

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, hydroxyl radicals, and vinyl radicals; and

n and p are independently chosen so as to give said silicone gum a viscosity of greater than 100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

106. A method according to claim 105, wherein said at least one gelling agent is chosen from modified clays.

107. A method according to claim 105, wherein said at least one crosslinked silicone is chosen from silicone resins.

108. A method according to claim 105, comprising at least one filler in an amount up to 30%.

109. A method according to claim 105, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

110. A method according to claim 105, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

111. A method of treating lips comprising applying to said lips a cosmetic composition comprising:

at least 2% of at least one silicone gum;


at least one crosslinked silicone;

at least one gelling agent;

optionally at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

each of R1, R2, R3, R4, R5, R6, and X is methyl; and

*n* and *p* are chosen so as to give said silicone gum a viscosity of greater than

100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

112. A method according to claim 111, wherein said at least one crosslinked silicone is chosen from silicone resins.

113. A method according to claim 111, wherein said at least one gelling agent is chosen from modified clays.

114. A method according to claim 111, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

115. A method according to claim 111, comprising at least one filler in an amount up to 30%.

116. A method according to claim 111, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

117. A cosmetic composition comprising:

at least 2% of at least one silicone gum;


at least one crosslinked silicone;

at least one gelling agent;

optionally at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

R1, R2, R5 and R6 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms;

R3 and R4 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms and aryl radicals;

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, hydroxyl radicals, and vinyl radicals; and

n and p are independently chosen so as to give said silicone gum a viscosity of greater than 100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

118. A cosmetic composition according to claim 117, wherein said at least one gelling agent is chosen from modified clays.

119. A cosmetic composition according to claim 117, wherein said at least one crosslinked silicone is chosen from silicone resins.

120. A cosmetic composition according to claim 117, comprising at least one filler in an amount up to 30%.

121. A cosmetic composition according to claim 117, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

122. A cosmetic composition according to claim 117, which is in a form chosen from make-up products and hair products.

123. A cosmetic composition according to claim 122, wherein said make-up products are chosen from lipsticks, blushers, eyeshadows, and foundations, and said hair products are chosen from styling make-up gels.

124. A cosmetic composition comprising:

at least 2% of at least one silicone gum;


at least one crosslinked silicone;

at least one gelling agent;

optionally at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

each of R1, R2, R3, R4, R5, R6, and X is methyl; and

n and p are chosen so as to give said silicone gum a viscosity of greater than

100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

125. A cosmetic composition according to claim 124, wherein said at least one crosslinked silicone is chosen from silicone resins.

126. A cosmetic composition according to claim 124, comprising at least one filler in an amount up to 30%.

127. A cosmetic composition according to claim 124, wherein said at least one gelling agent is chosen from modified clays.

128. A cosmetic composition according to claim 124, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

129. A cosmetic composition according to claim 124, which is in a form chosen from make-up products and hair products.

130. A cosmetic composition according to claim 129, wherein said make-up products are chosen from lipsticks, blushers, eyeshadows, and foundations, and said hair products are chosen from styling make-up gels.

131. A method of treating lips comprising applying to said lips a cosmetic composition comprising:


at least 2% of at least one silicone gum;

at least one crosslinked silicone;

at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

R1, R2, R5 and R6 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms;

R3 and R4 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms and aryl radicals:

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, hydroxyl radicals, and vinyl radicals; and

n and p are independently chosen so as to give said silicone gum a viscosity of  
greater than 100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

132. A method according to claim 131, wherein said at least one filler is chosen from talc, mica, silica, kaolin, nylon powders, polyethylene powders, Teflon, starch, titanium mica, natural mother of pearl, boron nitride, and hollow microspheres.

133. A method according to claim 131, wherein said at least one crosslinked silicone is chosen from silicone resins.

134. A method according to claim 131, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

135. A method according to claim 131, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

136. A method of treating lips comprising applying to said lips a cosmetic composition comprising:


at least 2% of at least one silicone gum;

at least one crosslinked silicone;

at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

each of R1, R2, R3, R4, R5, R6, and X is methyl; and

n and p are chosen so as to give said silicone gum a viscosity of greater than 100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

137. A method according to claim 136, wherein said at least one crosslinked silicone is chosen from silicone resins.

138. A method according to claim 136, wherein said at least one filler is chosen from talc, mica, silica, kaolin, nylon powders, polyethylene powders, Teflon, starch, titanium mica, natural mother of pearl, boron nitride, and hollow microspheres.

139. A method according to claim 136, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

140. A method according to claim 136, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

141. A cosmetic composition comprising:


at least 2% of at least one silicone gum;

at least one crosslinked silicone;

at least one filler in an amount up to 30%; and

at least one pigment in an amount up to 15%;

wherein said at least one silicone gum is of the formula:



in which

R1, R2, R5 and R6 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms:

R3 and R4 are each independently chosen from alkyl radicals having from 1 to 6 carbon atoms and aryl radicals;

X is chosen from alkyl radicals having from 1 to 6 carbon atoms, hydroxyl radicals, and vinyl radicals; and

n and p are independently chosen so as to give said silicone gum a viscosity of greater than 100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

142. A cosmetic composition according to claim 141, wherein said at least one filler is chosen from talc, mica, silica, kaolin, nylon powders, polyethylene powders, Teflon, starch, titanium mica, natural mother of pearl, boron nitride, and hollow microspheres.

143. A cosmetic composition according to claim 141, wherein said at least one crosslinked silicone is chosen from silicone resins.


144. A cosmetic composition according to claim 141, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

145. A cosmetic composition according to claim 141, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide, yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

146. A cosmetic composition according to claim 141, which is in a form chosen from make-up products and hair products.

147. A cosmetic composition according to claim 146, wherein said make-up products are chosen from lipsticks, blushers, eyeshadows, and foundations, and said hair products are chosen from styling make-up gels.

148. A cosmetic composition comprising:  
at least 2% of at least one silicone gum;  
at least one crosslinked silicone;  
at least one filler in an amount up to 30%; and  
at least one pigment in an amount up to 15%;  
wherein said at least one silicone gum is of the formula:



in which

each of R1, R2, R3, R4, R5, R6, and X is methyl; and

*n* and *p* are chosen so as to give said silicone gum a viscosity of greater than

100,000 mPa·s, and

wherein said cosmetic composition is anhydrous and water-resistant.

149. A cosmetic composition according to claim 148, wherein said at least one crosslinked silicone is chosen from silicone resins.

150. A cosmetic composition according to claim 148, wherein said at least one filler is chosen from talc, mica, silica, kaolin, powders of nylon and of polyethylene, Teflon, starch, titanium mica, natural mother of pearl, boron nitride, and hollow microspheres.

151. A cosmetic composition according to claim 148, wherein said at least one silicone gum is present in an amount ranging from 2% to 50%.

152. A cosmetic composition according to claim 148, wherein said at least one pigment is chosen from titanium dioxide, zinc oxide, zirconium dioxide, black iron oxide,

yellow iron oxide, red iron oxide, brown iron oxide, cerium dioxide, and organic pigments.

153. A cosmetic composition according to claim 148, which is in a form chosen from make-up products and hair products.

154. A cosmetic composition according to claim 153, wherein said make-up products are chosen from lipsticks, blushers, eyeshadows, and foundations, and said hair products are chosen from styling make-up gels.